


Biocides Submission Manual

Technical guide: using IUCLID



BSM Technical guide: using IUCLID**Reference:** ECHA-14-B-21-EN**Catalogue number:****ISBN:****DOI:****Publ. date:** July 2016**Language:** EN

© European Chemicals Agency, 2016

Cover page © European Chemicals Agency

Legal notice:

Neither the European Chemicals Agency nor any person acting on behalf of the European Chemicals Agency is responsible for the use that might be made of the following information. A wealth of additional information on the European Chemicals Agency is available on the Internet. It can be accessed through the ECHA website (<http://echa.europa.eu>).

Reproduction is authorised provided the source is fully acknowledged in the form "Source: European Chemicals Agency, <http://echa.europa.eu/>", and provided written notification is given to the ECHA Communications Unit (publications@echa.europa.eu).

If you have questions or comments in relation to this document please send them (quoting the reference and issue date) using the information request form. The information request form is accessible from the Contact ECHA page at: <http://echa.europa.eu/contact>

European Chemicals Agency

Mailing address: P.O. Box 400, FI-00121 Helsinki, Finland

Visiting address: Annankatu 10, Helsinki, Finland

Version	Changes	Date
Version 1.0	First version	June 2013
Version 2.0	<p>Updated to reflect the release of IUCLID 5.5.1, in particular, the inclusion of the 'PBT assessment' in section 13 'Summary and evaluation', and section 12.4 'Packaging' has now changed to section 12.3 'Packaging'.</p> <p>In addition, the following areas have been further elucidated in Chapter 2: description and use of supplementary datasets, and IUCLID help functions.</p>	November 2013
Version 2.1	Enhanced explanation of datasets and dossiers. Other changes include extra summary sheets added and previous summary sheets updated. A glossary section containing terms, definitions and identifiers applicable to the whole BSM series can now be found at the end of the manual.	April 2014
Version 2.2	Summary sheet information included in the body text.	June 2014
Version 3.0	<p>Update of title</p> <p>Reference to REACH-IT for LEO creation removed.</p> <p>IUCLID section 2.1, the role of the applicant clarified for formulators</p>	December 2014
Version 3.1	<p>New information available and included in the annex</p> <p>Annex I: 'How to include a mixture containing an active substance to a biocidal product dossier in IUCLID'</p> <p>Annex II: 'How to report active substance(s) generated in situ in IUCLID'</p>	February 2015
Version 3.2	Update of Annex II. Information on how to create datasets for precursor(s) of an in situ active substance was corrected: reference to IUCLID section 2.3 'Mixture composition' was deleted.	August 2015
Version 4.0	Update to reflect transition from IUCLID 5 to IUCLID 6	July 2016

Table of Contents

1. Introduction	8
1.1 Objective	8
1.2 Biocides Submission Manuals	8
2. What is IUCLID?	9
2.1 What is a dataset and dossier?.....	9
2.1.1 Main dataset templates	10
2.1.2 Supplementary dataset templates.....	10
2.2 Types of dossier.....	11
2.3 What is a 'Reference substance'?.....	13
2.4 General functions in IUCLID 6.....	14
1. Help in IUCLID	14
2. Using the 'view mode' to select a dataset template	14
3. Back button	14
4. Go to button	14
5. Wildcard symbols	14
6. Creating an endpoint study record or endpoint summary	15
7. Drop-down menu.....	15
8. Add and delete function.....	16
9. Add function	16
10. Attach function.....	16
2.5 Using the table of contents ('TOC') of a dataset	17
2.6 Confidentiality requests.....	18
3. Preparing a dataset for an active substance	18
Step 1: Create a 'Substance' dataset and link it to a legal entity	19
Step 2: Select the dataset template	20
Step 3: Enter the 'Applicant' details	21
IUCLID section 1.3 'Active substance manufacturer'	21
Step 4: Identify the active substance	23
IUCLID section 2.1 'Common name and synonyms'	23
IUCLID section 2.9 'Specification of purity'	27
Step 5: Complete the dataset information requirements	27
Step 6: Create a dossier	28
4. Preparing a dataset for a biocidal product.....	28
Step 1: Create a dataset for a biocidal product and link it to a Legal entity	28
Step 2: Select the dataset template	29
Step 3: Enter 'Applicant' details.....	30
IUCLID section 1.3 'Biocidal product manufacturer'	30
Step 4: Identify the biocidal product	31

IUCLID section 2.1 'Trade name or proposed trade name'	31
IUCLID section 2.3 'Biocidal product composition'	32
Step 5: Complete the dataset information requirements	36
Step 6: Create a dossier	37
5. General IUCLID endpoint sections	37
5.1 Endpoint study records	38
'Administrative data' block	39
'Data Source' block	40
'Materials and Methods' block	40
'Test Material' block	41
'Results and Discussion' block	42
5.2 Endpoint study summaries	43
6. Additional IUCLID endpoint sections	43
6.1 IUCLID section 7 'Intended uses and exposure'	44
IUCLID section 7.1 'Fields of use...'	44
IUCLID section 7.5 'Likely tonnage to be placed on the market'	45
IUCLID section 7.6 'Method of Application...'	46
6.2 IUCLID section 11 'Measures to protect humans, animals and the environment'	47
6.3 IUCLID section 12 Classification and Labelling	47
IUCLID section 12.1 'GHS'	48
IUCLID section 12.3 'Packaging'	50
6.4 IUCLID Section 13 'Summary and Evaluation'	51
6.4.1 Summary and evaluation	52
6.4.2 IUCLID section 13.1 'PBT assessment'	53
7. How to create a dossier	55
7.1 The dossier creation wizard	56
7.2 Viewing a dossier	60
7.2.1 Searching for a dossier	60
7.2.2 Viewing the full dossier content	61
7.3 Dossier export	62
ANNEX I - How to include a mixture containing an active substance in a biocidal product dossier	65
ANNEX II - How to report active substance(s) generated in-situ in IUCLID	72

Table of Figures

Figure 1: Changing the dataset template via the 'view mode' selector	10
Figure 2: Link all datasets to the main 'Mixture/Product' dataset	11
Figure 3: Valid active substance dossier	12
Figure 4: Valid biocidal product dossier	12
Figure 5: Accessing the 'Reference substance' information	13

Figure 6: Navigation window	17
Figure 7: Creating a 'Substance' dataset.....	19
Figure 8: Naming the 'Substance' dataset.....	20
Figure 9: Selecting the dataset template	20
Figure 10: Creating a record	21
Figure 11: Assigning a legal entity in section 1.3.....	22
Figure 12: Create new legal entity	22
Figure 13: Assign a contact person for legal entity	23
Figure 14: Section 2.1 'Common name and synonyms'	24
Figure 15: Linking a 'Reference substance' to the 'Substance' dataset	25
Figure 16: Entering the details of the 'Reference substance'	26
Figure 17: Entering the substance composition	27
Figure 18: Creating a 'Mixture/Product' dataset.....	29
Figure 19: Naming the 'Mixture/Product' dataset.....	29
Figure 20: Selecting the dataset template	30
Figure 21: Section 2.1 'Trade name or proposed trade name'	31
Figure 22: Record for a biocidal product	33
Figure 23 Defining a biocidal product composition	34
Figure 24: Select a dataset or a reference substance.....	35
Figure 25: Summary with multiple records for a BP family	35
Figure 26: Defining a biocidal product family composition.....	36
Figure 27: IUCLID section tree components	38
Figure 28: Administrative data fields	39
Figure 29: Data source table.....	40
Figure 30: 'Material and Methods' block for information on testing methods.....	41
Figure 31: Adding details on the test materials	42
Figure 32: Assigning an endpoint study record to an endpoint summary.....	43
Figure 33: Entering the intended uses	45
Figure 34: Entering the 'Likely tonnage to be placed on the market'	46
Figure 35: Entering the method of application	47
Figure 36: How to specify the 'Classification' labels	49
Figure 37: How to assign 'Related compositions'	50
Figure 38: Entering packaging information	51
Figure 39: Attaching documents in IUCLID section 13	52
Figure 40: Including a decision on technical equivalence	53
Figure 41: Linking a 'Reference substance' and 'Composition' to a PBT record	54
Figure 42: PBT endpoint summary	55
Figure 43: Launching the creation wizard.....	56
Figure 44: Step 1 of the dossier creation wizard.....	57
Figure 45: Step 3 of the dossier creation wizard.....	58
Figure 46: Verifying the sections to be included	59

Figure 47: Dossier header.....60

Figure 48: Searching for a dossier with the dossier name60

Figure 49: Searching for a dossier with the dossier UUID.....61

Figure 50: Viewing the 'TOC'.....61

Figure 51: Updating data62

Figure 52: Exporting the dossier.....63

Figure 53: Saving the dossier63

1. Introduction

1.1 Objective

This manual gives guidance on how to create a IUCLID¹ dossier concerning biocidal active substances² (AS) and biocidal products³ (BP) for applications made under the Biocidal Products Regulation⁴ (BPR). The various chapters in this manual aim to explain the different functionalities in IUCLID, and how to use those functionalities to create a valid dossier that can be submitted through the Register for Biocidal Products (R4BP 3).

1.2 Biocides Submission Manuals

This manual is part of the Biocides Submission Manual (BSM) series concerning technical guides, application instructions and process manuals and also includes:

Technical guides:

Using R4BP 3, which describes how to create user accounts in R4BP 3 via ECHA Accounts and gives a detailed description of the various functionalities of the system.

Using the SPC Editor, which describes how to prepare a Summary of the Product Characteristics (SPC) required for certain application types.

Application instructions:

Application instruction manual give guidance on how to submit applications concerning various process concerning active substance approvals and biocidal product authorisations.

- **Active substances**
- **National authorisations**
- **Simplified authorisations**
- **Union authorisations**
- **Technical equivalence and chemical similarity**

Process manuals:

Invoicing in R4BP 3, which describes the general information related to invoices and credit notes issued by ECHA following the submission of an application.

Confidentiality requests for biocide applications, which describes how to make confidentiality claims in IUCLID 6 and which dossier information can be claimed confidential.



A link to all of the Biocides Submission Manuals, including the technical guides, application instructions and related processes can be found from the '[ECHA website](#)'.

¹ International Uniform Chemical Information Database

² An AS may refer to a substance, a substance in a mixture, or a micro-organism

³ A BP may refer to a single biocidal product, a biocidal product family or a representative biocidal product in the case of an application for approval of active substance

⁴ [Regulation \(EU\) No 528/2012](#) of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

2. What is IUCLID?

IUCLID is a software program installed on your local IT environment. It is used to enter, store, maintain and exchange data on substances, mixtures and micro-organisms; including biocidal active substances and biocidal products. This data is entered and stored in editable 'datasets' and can be exported from a IUCLID dataset in a non-editable file called a 'dossier' (.i6z file). A dossier can then be uploaded as part of an application and submitted through R4BP 3 to the Authorities⁵. IUCLID is essential for applicants to be compliant with, amongst others, the BPR legislation, by submitting data in the correct format (Article 79 of the BPR).

To use IUCLID, you must first 'sign-up' on the [IUCLID website and download the application](http://iuclid6.echa.europa.eu/home). When having installed IUCLID, you will be able to create and manage Legal Entity Objects (LEO). A LEO contains administrative information on the legal entity (i.e. a company), such as the name, address and contact details of the company. In addition, a LEO is also used to clearly identify a company in R4BP 3. When a company creates a LEO, a numeric identifier called a Universal Unique Identifier (UUID) is generated and assigned to that company, acting as an unequivocal identifier.



The latest version of IUCLID, version 6, can be downloaded free of charge from the IUCLID website at the following address: <http://iuclid6.echa.europa.eu/home>. For more details about the installation and use of IUCLID 6 go to the website's [Support](#) tab.

2.1 What is a dataset and dossier?

A dataset is the editable central core of information in IUCLID 6, containing information on the intrinsic properties of a specific substance or mixture, and its constituents. It is thus the repository of technical and scientific data related to an active substance, all components of a biocidal product and the biocidal product itself, and is used to create a non-editable 'dossier'. A dossier is a non-editable snapshot file of the dataset, containing the information to be submitted as part of an application in the correct format, when required.

IUCLID 6 provides two different dataset types:

- i) a 'Substance' dataset (), and
- ii) a 'Mixture/Product' dataset ().


Separate IUCLID datasets should be created for each component of the biocidal product, along with one for the product itself. All these individual datasets should then be linked to each other in order to create a valid dossier ([Section 2.1.2](#)).

To assist you with data entry, you can customise the sections in a dataset via the 'view mode' (i.e. dataset template) selector. By default, the dataset template is set to 'REACH Complete table of contents'. However, you should change this by using the black arrow () to open a drop-down list (Figure 1). Note that this list contains numerous dataset templates

⁵ Meaning ECHA, member state competent Authorities, or the Commission.

accommodating various chemical regulations e.g. BPR, REACH⁶, CLP⁷ etc. Customising the dataset template will ensure that only the sections that are relevant to your dossier type are shown.

Figure 1: Changing the dataset template via the 'view mode' selector



2.1.1 Main dataset templates

To create a valid dossier, at least two 'main' dataset templates must be completed (Figure 2):

- i) a 'BPR Active substance information' dataset - containing information concerning the AS, and
- ii) either a 'BPR Biocidal product authorisation' dataset - containing information concerning the BP

or 'BPR Active substance application (representative product)' – used in cases without relevant biocidal product.

The dossier creation must be **always** initiated from the Mixture/Product dataset, see [chapter 7](#).



All dossiers must contain at least the two 'main' datasets. Even in cases where there is no relevant biocidal product, e.g. in the case of technical equivalence assessment and Article 95 dossiers. In these cases you can use the dataset for the representative product.

2.1.2 Supplementary dataset templates

The supplementary dataset templates should be used to include information concerning the other components (not the active substance) of a biocidal product, for example the solvents,

⁶ [Regulation \(EC\) No 1907/2006](#) of the European Parliament and of the Council of 18 December 2006 concerning the **Registration, Evaluation, Authorisation, and Restriction of Chemicals** (REACH) establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.


⁷ [Regulation \(EC\) No 1272/2008](#) of the European Parliament and of the Council of 16 December 2008 on **classification, labelling and packaging** of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

emulsifiers, attractants, etc. The supplementary dataset templates are (Figure 2):

- i) 'BPR Basic information (substance)' dataset – containing information about each additional substance component which is not substance of concern according to Article 3(1)(f) of the BPR
- ii) 'BPR Basic information (mixture)' dataset – containing information about each additional mixture component
- iii) 'BPR Substance of concern' dataset – containing information on substances of concern, according to Article 3(1)(f) of the BPR.

Ensure that you complete individual datasets for all the components of a biocidal product. These datasets must then be linked to the biocidal product dataset in [IUCLID section 2.3 'Biocidal product composition' or 'Representative biocidal product composition'](#).

Figure 2: Link all datasets to the main 'Mixture/Product' dataset



For full details on how to prepare a dataset for an active substance and biocidal product, please refer to Chapter 3 and 4 of this manual. To report a mixture containing an active substance or for details on how to include active substances generated in situ, please refer to [Annex I](#) and [Annex II](#) to this manual.

2.2 Types of dossier

A IUCLID dossier is a non-editable snapshot file of any dataset, containing the information to be submitted as part of an application, when relevant. There are currently two types of dossiers that may be created and submitted through R4BP 3, as part of an application under the BPR:

- i) a 'BPR Active substance application (representative product)' dossier, and
- ii) a 'BPR Biocidal product authorisation' dossier.



All dossiers (for the active substance or biocidal product) must be created from a Product/Mixture dataset.

[Chapter 7](#) of this manual explains how to create a specific dossier type from the BP dataset. For information on whether a dossier is required for your application and, if so, which type of dossier to create, please refer to the application instructions from the relevant [Biocides Submission Manual](#). The screenshots below explain how you can tell what type of dossier you are looking at from the title in the 'Navigation panel'.

Figure 3 shows a 'BPR Active substance application (representative product)' dossier that includes both a 'Substance' dataset for an AS and one for a solvent, along with a 'Mixture/Product' dataset for the BP. It was correctly created from the 'Mixture/Product' dataset. Please note that the number of datasets contained within a dossier may vary.

Figure 3: Valid active substance dossier





Figure 4 shows a 'BPR Biocidal product authorisation' dossier that includes both a 'Substance' dataset for an AS and one for a solvent, along with a 'Mixture/Product' dataset for the BP. It was correctly created from the 'Mixture/Product' dataset.


Figure 4: Valid biocidal product dossier





A dossier is **only valid** if it contains only one 'Substance' dataset for an AS and at least one 'Mixture/Product' dataset for the BP, and is created from the 'Mixture/Product' dataset.

2.3 What is a 'Reference substance'?

One of the elements characterising the IUCLID 6 dataset is its relationship to a 'Reference substance'. A 'Reference substance' () is a IUCLID 6 feature for storing information on the identity of specific substances and their constituents. It is used to store identification information of substances, allowing this information to be defined once, saved and reused easily.

Identification information stored in a 'Reference substance' includes the chemical's common name, EC number, CAS number or IUPAC name, molecular and structural information. This concept was developed to avoid re-typing or manual copy and pasting, and, in general, to make sure that re-useable key data is entered only once, and then centrally managed and updated.


The 'Reference substance' is used in a 'Substance' dataset to specify the identification of the main substance that the dataset has been created for, along with its constituents, impurities and additives, if any.

From the [IUCLID website](#), you can download 'Reference substance' data and import it into your IUCLID 6 software program. You can also create a new 'Reference substance' yourself (Figure 5) or update an existing 'Reference substance'.



You should maintain 'Reference substance' information relevant for you, in your local IUCLID 6 program. You can create a new 'Reference substance' or update substance information from the IUCLID 6 homepage (Figure 5).

Figure 5: Accessing the 'Reference substance' information




2.4 General functions in IUCLID 6

This sub-chapter contains instructions on some general functions that are frequently used throughout IUCLID 6. For further information on how to fill in specific sections of IUCLID 6, please see the corresponding chapter in this manual.


1. Help in IUCLID

Pressing 'F1' when you have a IUCLID section open will direct you to the IUCLID 6 Help system, for further assistance.



2. Using the 'view mode' to select a dataset template

Select the appropriate dataset template, e.g. 'BPR active substance information', from the drop-down menu using the view mode selector (▼) under the 'TOC' tab.



3. Back button

To get back to the original section press the back button (◀) in the IUCLID 6 taskbar.


4. Go to button

Clicking on the 'Go to' button (▶) will direct you to a new screen to fill in related information.

5. Wildcard symbols

When you are filling in search criteria, inserting '*' or '%' allows you to widen your search.


You can use '*' on its own, or type in some letters and then add the symbols at the end/start. The search criteria text is not case sensitive.

 Query for reference substances

Reference substance name	chem*
CAS number (Inventory)	
Inventory name	

6. Creating an endpoint study record or endpoint summary

An endpoint study record should contain all the data available on a particular endpoint study. An endpoint summary should be a summary of the evaluation made on all the data entered in the endpoint section. Right-click on the section you wish to create an endpoint study record/summary in and click on the correct option.



7. Drop-down menu

Access a drop-down menu using the black arrow (▼). Then select the correct option from the predefined options.

Type of information	▼	experimental study
		experimental study planned
		experimental study planned (based on (Q)SAR
		calculation (if not (Q)SAR)
Adequacy of study	▼	




Please note: When there is a unit field related to a value field, then ensure a unit is always selected from the drop-down menu.

Typical concentration	45	% (w/w)	▼
-----------------------	----	---------	---




Please note: If 'other:' is selected from the drop-down menu, then the adjacent field must be filled in.



A screenshot of a 'Function' dropdown menu. The menu is open, showing a list of functions. The first function is 'other:' followed by an ellipsis and a downward arrow. To the right of the dropdown is a text box labeled 'Example'.


8. Add and delete function

Create a block with the 'plus' button (+). Certain sections will require that you first create a block before you can proceed to enter the relevant data. Delete any unwanted or empty blocks with the 'cross' button (X).



9. Add function


Add lines to an existing table by using the 'Add' button. Certain sections will require you to first create a line in an existing table before you can proceed to enter the relevant data.



A screenshot of a table titled 'Attached justification'. The table has one row with the text 'Attached justification'. At the bottom of the table, there are three buttons: '+ Add...', 'Edit...', and 'X Delete'. The '+ Add...' button is highlighted with a red box.

10. Attach function


Attach relevant documents to IUCLID section 13 'Summary and evaluation' by first clicking 'Add', then using the 'plus' button (+), and then click 'Browse'. Refer to [chapter 6.4.1](#) for full instructions.





2.5 Using the table of contents ('TOC') of a dataset

When you open a dataset, select a specific dataset template, e.g. 'BPR Active substance information', using the view mode selector (▼) under the tab 'TOC' (table of contents). By selecting 'Expand all', you will see all the relevant sections contained in this dataset template (Figure 6).

Figure 6: Navigation window



The core sections of IUCLID are marked with book and circle symbols with red asterisk (, ).

The sections depicted by a small circle (●*) are not editable and serve only as a guide. They correspond to the BPR section and refer you to the editable section in IUCLID 6 in which you can enter the appropriate data, e.g. '●* 2.7 (Cf. 2.1) Molar mass' indicates that 'Annex II Title 1 2.7' of the BPR can be entered in IUCLID section 2.1 'Common name and synonyms'.

2.6 Confidentiality requests

Confidentiality requests may be made in accordance with Article 66(4) of the BPR. Applicants can submit confidentiality requests by 'flagging' a field in the IUCLID 6 dataset as confidential. Any time a confidentiality flag is set, the justification as to why publishing the information could be harmful for their commercial interests or those of any other party concerned must be provided in the adjacent field. These confidentiality requests will then be assessed.



For further details on what can be claimed confidential, how to make a confidentiality request, and which requests may incur a fee, please consult [BSM Process of confidentiality requests for biocide applications](#).

3. Preparing a dataset for an active substance

This chapter outlines how to prepare a 'BPR Active substance information' dataset, containing information about an AS. Supplementary datasets such as 'BPR Basic information (substance)' and 'BPR Substance of concern' can be created in a similar manner but may contain different sections. Supplementary datasets contain information about additional components of a BP (e.g. solvent, emulsifier, etc.).



For full details on how to report a mixture containing an active substance or for details on how to include active substances generated in situ, please refer to [Annex I](#) and [Annex II](#) to this manual.



Information requirements will vary depending on the application type you are submitting, e.g. approval of an active substance, inclusion of an active substance in Annex I to the BPR, introduction of an active substance to the Review Programme implementing Regulation etc. To assist you in fulfilling the specific information requirements for your application type, ECHA has [guidance documents](#) and [practical guides](#) available on the ECHA website. In addition to this, please consult the appropriate [Biocides Submission Manual](#) for more information on how to submit a specific application.

Step 1: Create a 'Substance' dataset and link it to a legal entity

In the 'Main tasks' pane of the IUCLID 6 homepage (🏠), create a 'Substance' dataset by right clicking on the Substance (🧪) icon, and then clicking 'New' (Figure 7).

Figure 7: Creating a 'Substance' dataset



An empty 'Substance' dataset will open. Enter a name for your dataset in the field 'Substance name', and click the Save (💾) icon. The new dataset will appear in the list of datasets in the 'Search' tab (Figure 8).

Once you have saved the dataset you can start filling in the information within it. Click the 'TOC' tab (table of contents) to view all of the sections.

If you have already created a 'Substance' dataset and you wish to update information in this dataset, click the Substance (🧪) icon on the IUCLID 6 homepage (Figure 7). A list of datasets will open in the 'Search' tab. Search for the correct dataset, double click on the dataset title, and click the 'TOC' tab to view all of the sections.

Figure 8: Naming the 'Substance' dataset

Save the new dataset when you have filled in the field 'Substance name'.

Substance name*

New substance

Chemical name	Legal entity name	Reference substa...	Last modification ...
New substance	European Chemic...		2016-04-29T13:3...
Active substance	European Chemic...	200-385-7 / 200-385-7 / 200-385-7 / 500-328-9 /	2016-04-28T10:0...

Step 2: Select the dataset template

Open the 'TOC' tab in the 'Navigation panel'. Click the black arrow (▼) to open the drop-down menu and select the 'main' dataset template ([chapter 2.1](#)), i.e. 'BPR active substance information' (Figure 9). By selecting 'Expand all', you will see all of the sections contained in the template (Figure 6).

Figure 9: Selecting the dataset template

Pick list

Select a value

Complete table of contents

Endpoints information

OECD SIDS

OECD harmonised templates

BPR Active substance information

BPR Basic information (substance)

BPR Substance of concern

CLP alternative name request

CLP notification

OK Cancel

If you are creating a 'Substance' dataset for additional components of a BP (e.g. a solvent,

emulsifier, etc.), select the supplementary dataset template 'BPR Basic information (substance)', or 'BPR Substance of concern'.



Please use the designated IUCLID fields whenever possible to enter data.


Step 3: Enter the 'Applicant' details

IUCLID section 1.3 'Active substance manufacturer'

IUCLID section 1.3 contains the name and details of the active substance manufacturer, importer and/or formulator. It is recommended that you indicate the name and details in IUCLID section 1.3 even if they are the same as the one of the applicant.

Start by creating a 'record' by right clicking on top of the section name and clicking 'New record' (Figure 10).

Figure 10: Creating a record



When the active substance is included in a biocidal product, as of the date of the authorisation of the biocidal product, information on the product will be disseminated on the ECHA website. This includes the manufacturers of the active substances, as part of the Summary of Product Characteristics.

Once you have created a record in IUCLID section 1.3, click the link button (🔗) next to the 'Name' field. Enter some search criteria (e.g. Legal entity name) in the appearing 'Query for legal entities' window and then click 'Search'. Select the correct legal entity from the search results, and click the button 'Assign' (Figure 11).

Figure 11: Assigning a legal entity in section 1.3

Manufacturer / Importer / Formulator

Name

Remarks

Only representation

Assignment from non EU manu

Other importers

Name

Query for legal entities

Legal entity name: Eur*

Town: ...

Country: ...

Search

Legal entity name	Legal entity town	Legal entity country
European Chemicals Agency	Helsinki	Finland

New Assign Close

It may be the case that the manufacturer has not yet been entered into your database. In this case, click the button 'New' in the 'Query for legal entities' window, to open the 'Create new legal entity' window (Figure 12).

In the 'Create new legal entity' window, enter the Legal entity name, and the applicable details of the manufacturer's Legal entity under the tabs 'General information', 'Identifiers', 'Contact information' and 'Sites' (Figure 12).

Figure 12: Create new legal entity

Create new legal entity

General information Identifiers Contact information Sites

Legal entity name*

Manufacturer

Legal entity type

company ... Other

Remarks

Other names


Flags

+ Add... Edit... Delete

Save with comment Save Close

Under the 'Contact information' tab (last entry on the tab) you can assign a contact person for the legal entity. Click the link button (🔗) next to the 'Person' field. Enter some search criteria (e.g. Last name) in the appearing 'Query for contacts' window and then click 'Search'. Select the correct contact person from the search results, and click the button 'Assign' (Figure 13).

Figure 13: Assign a contact person for legal entity



It may be the case that the contact person has not yet been entered into your database. In this case, click the button 'New' in the 'Query for contacts' window, to open the 'Create new contact' window. Enter the contact person details and when you are ready, click 'Save'.

Step 4: Identify the active substance

IUCLID section 2.1 'Common name and synonyms'

This section allows the identification of the AS, by filling in pre-defined fields. The fields indicate the name of the AS, the Legal entity assigned to the dataset (e.g. the prospective authorisation holder, i.e. asset owner), the role they play in the supply chain, i.e. either manufacturer or importer (or both), along with contact details of the applicant. The name of the AS and the Legal entity are defined during [Step 1](#) but they can be changed at any point when editing the dataset. Fields of prime importance are indicated in red in Figure 14 and are explained below the figure.



Special note for formulators: In section 2.1 of the active substance dataset, you may either select 'Downstream user' or leave this section empty if none of the options apply to you.

Figure 14: Section 2.1 'Common name and synonyms'

CORE / Identification / New substance

Substance name*

New substance ...

Public name

...

Legal entity flags

Legal entity*

European Chemicals Agency / Helsinki / Finland > ∞ X

Third party flags

Third party

> ∞ X

Role in the supply chain ^

Role flags

☒ Manufacturer

☐ Importer

☐ Only representative

☐ Downstream user

Identification of substance ^

Reference substance flags

Reference substance

> ∞ X

Type of substance ^

Type of substance ... ▾ Other ...

Origin ... ▾ Other ...

Other identifiers

Flags	Identifier	Identity	Country	Relation	Remarks

+ Add... Edit... X Delete ↑ Move up ↓ Move down

Contact persons

∞ +

Third party (representative)

If relevant, indicate the name of a representative, e.g. a consultancy company working on behalf of the prospective authorisation holder. Achieve this by clicking the link button (∞), enter some search criteria (e.g. Legal entity name) in the appearing 'Query for legal entities' window and then click 'Search'. Select the correct legal entity from the search results, and click the button 'Assign' (Figure 11).

It may be the case that the representative has not yet been entered into your database. In this case, click the button 'New' in the 'Query for legal entities' window (Figure 11), to open the 'Create new legal entity' window (Figure 12).

Role in the supply chain


Select the role you play in the supply chain, i.e. manufacturer or importer (or both). Note that 'Only representative' and 'Downstream user' are REACH terms and are not relevant for BPR dossiers or applications.

Reference substance

The reference substance in the 'Substance' dataset identifies the AS for which this dataset has been created; the AS may be a substance or a micro-organism.

Establish the reference substance by using the link button (🔗) next to the 'Reference substance' field. In the appearing 'Query for reference substances' window, enter some search criteria and then click 'Search'. From the search results, select the correct reference substance and click 'Assign' (Figure 15).

Figure 15: Linking a 'Reference substance' to the 'Substance' dataset



It may be that the reference substance has not yet been entered into your database. In this case, click 'New' to open the 'Create new reference substance' window. In this window, enter the Reference substance name, and the details of the reference substance (Figure 16).

In order to indicate the EC number of your reference substance, click 'Add' under the 'Inventory number'. Enter some search criteria (e.g. EC number in the 'Inventory number' field) in the appearing 'Query for inventories' window and then click 'Search'. Select the correct EC entry from the search results, and click the button 'Assign'.

If you are creating a dataset for a micro-organism, then enter the scientific name of the micro-organism into the 'IUPAC name' field.

Figure 16: Entering the details of the 'Reference substance'

General information

Reference substance name*

New reference substance

Inventory

Inventory number

To include EC number, click 'Add'

+ Add...

No inventory information

Justification

Reference substance information

IUPAC name

Micro-organism name

Description

A₂ | X

Synonyms

Query for inventories

Find information in the inventory

Enter the EC number here

Inventory number *

Inventory name

CAS number

Molecular formula

Description

State N/A

Inventory N/A

Search

Status	Inventory n...	Inventory n...	CAS number	Description
★	200-001-8	formaldehy...	50-00-0	
★	200-002-3	guanidiniu...	50-01-1	
★	200-003-9	oxametha...	50-02-2	
★	200-004-4	hydrocortis...	50-03-3	

Your search returned more results than allowed. Your view is reduced to 500 results. Please refine your search.

Assign Close

Save with comment Save Close

Type of substance

Select the type of substance (e.g. mono constituent, multi constituent, etc.) of the reference substance. If you are creating a dataset for a micro-organism, then select 'other:' and type 'micro-organism' into the adjacent field. Select also the origin (e.g. element, inorganic, etc.) of the reference substance.

Other names

Enter all the trade (commercial) names and alternative names by which the AS is known. For each entry, add a new row in the table by clicking on the 'Add' button. Select the type of name from the list 'Identifier'; e.g. common name, trade name, or, if none of the pre-defined items apply, select 'other:' and fill in the type of name in the adjacent free text field. Enter the trade name of the AS in the field 'Identity', and then select the country in which the name is associated with the AS. You can also add any remark about the name that might be required.

Contact person

Create a block using the 'plus' function (⊕) to assign the contact person (Figure 14).

Use the link button (🔗) next to the 'Person' field. In the appearing 'Query for contacts' window, enter some search criteria and then click 'Search'. From the search results, select the correct contact and click 'Assign'.

This person may be contacted e.g. to provide assistance or ask about the information submitted.

IUCLID section 2.9 'Specification of purity'


The composition, constituents, impurities and additives define the substance. This section allows the entry of multiple compositions of the substance, for example, to allow different profiles of impurities, provided this does not change the identification of the substance.

Start by creating a 'record' by right clicking on top of the section name and selecting 'New record'. You can create multiple records if needed (Figure 17).

Enter the name, and other relevant information of the composition in the fields provided. Create a block under the constituents section and assign (⌂) reference substances to all the constituents of your AS. If you have any impurities or additives, create a block for each and fill in relevant information, and then assign reference substances to the impurities and/or additives by using the link button (⌂).

The steps to follow when linking a reference substance are the same as those outlined in [IUCLID section 2.1, Reference substance](#).

Figure 17: Entering the substance composition



In IUCLID 6 the section 2.8 'Method of manufacture' is no longer editable, however the method of manufacture should be entered in the field 'Description of composition'. If needed, additional details for the method can be included as an attachment under 'Attached description'.

Step 5: Complete the dataset information requirements

You are now ready to enter the remaining relevant data, to fulfil the specific information requirements for your application type. As the endpoint sections are common to both 'Substance' datasets and 'Mixture/Product' datasets, how to complete endpoint sections (IUCLID sections 3-13) is described in chapters 5 and 6.



For further assistance on entering information into your IUCLID 6 dataset, please refer to [chapter 5](#) ('General IUCLID endpoint sections').



ECHA has provided guidance documents to assist you in fulfilling the information requirements - [Guidance documents](#).

Step 6: Create a dossier

Once you have filled in all of the required 'Substance' dataset sections in the 'BPR Active substance information' dataset, you must also create a dataset for the BP, using the dataset template 'BPR Biocidal product authorisation' or 'BPR Active substance application (representative product)' ([chapter 4](#)). Once both datasets are complete refer to [chapter 7](#) ('How to create a dossier').

4. Preparing a dataset for a biocidal product

This chapter outlines how to prepare a dataset containing information of a BP. Note that a 'Mixture/Product' dataset must always be created, regardless of the application type, e.g. if you are going to create a 'BPR Active substance application (representative product)' dossier, the 'Mixture/Product' dataset is used to contain the information of the representative BP, see [IUCLID section 2.3 'Biocidal product composition'](#).

To create a valid dossier, the 'Mixture/Product' dataset must always be linked to a 'BPR Active substance information' dataset (Figure 2).

Additional 'Mixture/Product' datasets, using the supplementary dataset template 'BPR Basic information (mixture)' can be created in a similar manner but may contain different sections. Use this supplementary dataset template to create datasets containing information about additional components of a BP (e.g. solvent, emulsifier, etc.).



Information requirements will vary depending on the application type you are submitting. To assist you in fulfilling the specific information requirements for your application type, ECHA has [guidance documents](#) and practical guides available on the ECHA website. In addition to this, please consult the appropriate [Biocides Submission Manual](#) for more information on how to submit a specific application.

Step 1: Create a dataset for a biocidal product and link it to a Legal entity





In the 'Main tasks' pane of the IUCLID 6 homepage () , create a 'Mixture/Product' dataset by right clicking on the Mixture/Product () icon (Figure 18), and then clicking 'New'.

Figure 18: Creating a 'Mixture/Product' dataset

Similar to the creation of your 'Substance' dataset, an empty 'Mixture/Product' dataset will open. Enter a name for your dataset in the field 'Mixture/Product name', and click the Save () icon. The new dataset will appear in the list of datasets in the 'Search' tab (Figure 19)

Once you have saved the dataset you can start filling in the information within it. Click the 'TOC' tab (table of contents) to view all of the sections.



If you have already created a 'Mixture/Product' dataset and you wish to update information in this dataset, click the Mixture/Product () icon on the IUCLID 6 homepage (Figure 18). A list of datasets will open in the 'Search' tab. Search for the correct dataset, double click on the dataset title, and click the 'TOC' tab to view all of the sections.

Figure 19: Naming the 'Mixture/Product' dataset

Step 2: Select the dataset template

Open the 'TOC' tab in the 'Navigation Panel'. Click the black arrow () to open the drop-down menu.

Depending on the application type, you have two options for the dataset template.

'BPR Biocidal product authorisation' - to be used with BP applications.

'BPR Active substance application (representative product)' – to be used with AS applications


Select the appropriate dataset template for your application (Figure 20). By selecting 'Expand all', you will see all of the sections contained in the template (Figure 6).

If you are creating a 'Mixture/Product' dataset for additional components of the BP (e.g. a solvent) select the supplementary dataset template 'BPR Basic information (mixture)'.



Please use the designated IUCLID fields whenever possible to enter data.

Figure 20: Selecting the dataset template



Step 3: Enter 'Applicant' details

IUCLID section 1.3 'Biocidal product manufacturer'

IUCLID section 1.3 contains the name and details of the BP manufacturer, importer and/or formulator. It is recommended that you indicate the name and details in IUCLID section 1.3 even if they are the same as the one of the applicant. Start by creating a 'record' by right clicking on top of the section name and clicking 'New record' (Figure 10).



As of the date of the authorisation of the BP, information on the BP will be disseminated on the ECHA website. This includes the manufacturers of the active substances and biocidal products, as part of the Summary of Product Characteristics.

Once you have created a record in IUCLID section 1.3, click the link button (🔗) next to the 'Name' field. Enter some search criteria (e.g. Legal entity name) in the appearing 'Query for legal entities' window and then click 'Search'. Select the correct legal entity from the search results, and click the button 'Assign' (Figure 11).

It may be the case that the manufacturer has not yet been entered into your database. In this case, click the button 'New' in the 'Query for legal entities' window, to open the 'Create new legal entity' window (Figure 12). How to use the Legal entity assistant is explained in [chapter 3, step 3](#) ('Enter the 'Applicants' details').


Step 4: Identify the biocidal product

IUCLID section 2.1 'Trade name or proposed trade name'


This section allows the identification of the BP, by filling in the pre-defined fields. The fields indicate the name of the BP, the Legal entity assigned to the dataset (e.g. the prospective authorisation holder, i.e. asset owner), the role they play in the supply chain, i.e. manufacturer or importer (or both), along with contact details for the applicant. The name of the BP and the Legal entity are defined during [Step 1](#) but they can be changed at any point when editing the dataset. Fields of prime importance are indicated in red in Figure 21 and are explained below the figure.

Figure 21: Section 2.1 'Trade name or proposed trade name'

Other names



Enter all the trade (commercial) names and alternative names by which the BP is known. For each entry, add a new block using the 'plus' function (). Select the name type; alternative name, trade name, or, if none of the pre-defined items apply, select 'other:' and fill in the type of name in the adjacent free text field. Enter the name of the BP, and then select the country in which the name is associated with the BP. You can also add any remark about the name that might be required.

Third party (representative)

If relevant, indicate the name of a representative, e.g. a consultancy company working on behalf of the prospective authorisation holder. Achieve this by clicking the link button (), enter some search criteria (e.g. Legal entity name) in the appearing 'Query for legal entities' window and then click 'Search' (Figure 11). Select the correct legal entity from the search results, and click the button 'Assign' (Figure 11).

It may be the case that the representative has not yet been entered into your database. In this case, click the button 'New' in the 'Query for legal entities' window (Figure 11), to open the 'Create new legal entity' window (Figure 12).

Contact persons

Create a block using the 'plus' function (), and assign a contact person by clicking the link button (). This person may be contacted e.g. to provide assistance or ask about the information submitted.

Role in the supply chain

Select the role you play in the supply chain, i.e. manufacturer or importer (or both). Note that 'Only representative' and 'Downstream user' are REACH terms and are not relevant for BPR dossiers or applications.

IUCLID section 2.3 'Biocidal product composition'

A BP is defined by its name, formulation type and its exact composition percentage. A BP family is similarly defined to include the individual products within it and the range of concentration percentages. This section details how to enter product composition data for a single BP or multiple compositions for a BP family.



Provide suitable labels for your records/summary as this will assist in the completion of other sections, for example, if you have different uses for the biocidal products ([IUCLID section 7.1 'Fields of use...'](#)) or different packaging types for the biocidal products ([IUCLID section 12.3 'Packaging'](#)).



Section 2.3 'Biocidal product composition': If you create a summary or you include more than one AS in the BP composition, e.g. include more than one record each with an AS, you will be unable to make a 'BPR Active substance application (representative product)' dossier.




For a single biocidal product: Start by right-clicking on IUCLID section 2.3 'Biocidal product composition', and select 'New record' (). Only one record () should be created and completed (Figure 22).

Figure 22: Record for a biocidal product

Once you have created a record, you will be able to enter information in the fields provided for the following:

- i) the BP name,
- ii) brief description of the BP,
- iii) the formulation types from the drop-down menu, and
- iv) all of the components, impurities and additives of the BP.

Create blocks for the components by clicking the plus sign (⊕) (Figure 23). You will need to create an individual block for each component, impurity and additive of your BP.

- Within the 'Components' block, assign (🔗) a 'Substance' or 'Mixture/Product' dataset to the component of the BP. In a similar manner, assign a 'Reference substance' for any potential 'Impurities' and 'Additives'.

Clicking the link button (🔗) inside the block opens a 'Query for reference substances, mixtures, substances' window, in which you can specify the 'Query type' (dataset or reference substance) from the drop-down menu (▼) (Figure 24). Then, specify some search criteria and click 'Search'. From the search results, select the dataset or reference substance, and click 'Assign'.

- For the BP components and additives, indicate the function using the drop-down menu (▼).
- Enter the concentration value(s) and unit.
- Lastly, indicate if any of the substances in the BP is a 'Substance of concern' (in accordance with Article 3(1)(f) of the BPR) by ticking the related box (Figure 23). Be sure to identify all of the components of your BP in individual blocks.




If you do not have a 'Substance' dataset prepared, refer to [chapter 3](#) ('Preparing a dataset for an active substance').

Figure 23 Defining a biocidal product composition

The screenshot displays the IUCLID software interface for defining a biocidal product composition. The interface is organized into several sections:


- Administrative data**: Contains a red prohibition icon.
- General information**: Includes fields for Mixture/product name (Biocidal product name), Brief description (Biocidal product), and Formulation type (DP Dustable powder, EP Emulsifiable powder).
- Components**: A list of components is shown. The first component is "New substance / formaldehyde / formaldehyde / 50-00-0, 3 % (w/w)". The component details include:
 - Component flag: Prohibition icon
 - Name: New substance / formaldehyde / formaldehyde / 50-00-0
 - Function: active substance
 - Typical concentration: 3 % (w/w)
 - Concentration range: [] [] []
 - Remarks: []
 - ☐ Substance of concern
- Impurities**: A list of impurities is shown.
- Additives**: A list of additives is shown.

Red boxes highlight the "+" icons in the top right corner of the Components, Impurities, and Additives sections, indicating where to click to add new entries.

Figure 24: Select a dataset or a reference substance

For a biocidal product family: Start by right clicking on IUCLID section 2.3 'Biocidal product composition', and select 'New summary' (⊕). Only one summary (Σ) should be created and completed.

You will then need to create and complete a record (💣) for each product within the family. Figure 25 shows an example of how section 2.3 should look for a BP family containing three products.

Figure 25: Summary with multiple records for a BP family

Once you have created a summary, you will be able to enter information in the fields provided for the following:

- i) the BP family name,
- ii) the formulation types from the drop-down menu, and
- iii) all of the components.

Create blocks for the components by clicking the plus sign (⊕) (Figure 26). You will need to create an individual block for each component of your BP.

Figure 26: Defining a biocidal product family composition

EU_BPR / Biocidal product composition / Family composition / New product BPR

Administrative data ^

Biocidal product ^

Biocidal product family name

BP family name ...

Formulation type

▼ CS Capsule suspension (x)

DC Dispersible concentrate

EC Emulsifiable concentrate

Composition

4.0, New substance / formaldehyde / formaldehyde / 50-00-0

Function

Active Substance ... Other ...

Concentration %

4.0

Name

New substance / formaldehyde / formaldehyde / 50-00-0

☐ Substance of concern (Note: Use for Substances not categorised as Active Substances)

- Within the 'Composition' block, indicate the BP function (e.g. AS, solvent, emulsifier, etc.) using the drop-down menu (▼).
- Enter the concentration % range.
- Assign (🔗) a 'Substance' or 'Mixture/Product' dataset to the component of the BP family.

Clicking the link button (🔗) inside the block opens a 'Query for reference substances, mixtures, substances' window, in which you can specify the 'Query type' (dataset or reference substance) from the drop-down menu (▼) (Figure 24). Then, specify some search criteria and click 'Search'. From the search results, select the dataset or reference substance, and click 'Assign'.

- Lastly, indicate if any of the substances in the BP is a 'Substance of concern' (in accordance with Article 3(1)(f) of the BPR) by ticking the related box (Figure 26). Be sure to identify all of the components of your BP in individual blocks.

When you have completed the summary, create a record for each product within the family. For how to fill in the information in each record, follow the instructions in the section '**For a single biocidal product**' in the beginning of this chapter.

Step 5: Complete the dataset information requirements

You are now ready to enter the remaining relevant data, to fulfil the specific information requirements for your application type. As the endpoint sections are common to both 'Substance' datasets and 'Mixture/Product' datasets, how to complete endpoint sections

(IUCLID sections 3-13) is described in chapters 5 and 6.



For further assistance on entering information into your IUCLID 6 dataset, please refer to [chapter 5](#) ('General IUCLID endpoint sections').



ECHA has provided guidance documents to assist you in fulfilling the information requirements - [Guidance documents](#).


Step 6: Create a dossier

Once you have filled in all of the required 'Mixture/Product' dataset sections, and linked a fully completed 'Substance' dataset using the dataset template 'BPR Active substance information' ([chapter 3](#)) in [section 2.3 'Product composition'](#), you can create a valid dossier. For detailed instructions on how to create a dossier from the 'Mixture/Product' dataset, please refer to [chapter 7](#) ('How to create a dossier').

5. General IUCLID endpoint sections

Endpoint sections (IUCLID sections 3–13) comprise of either an endpoint study record (💣) or an endpoint summary (Σ) (Figure 27). The endpoint sections are used to include data on endpoint studies. However, some endpoint sections (IUCLID section 7 and sections 11-13) are used to include additional information i.e. non-endpoint study related information (e.g. intended uses, classification and labelling, and protective measures).

This chapter deals with the general input of endpoint related information (including administrative data, data source, materials and methods, and results and discussion) into the endpoint sections, to fulfil the information requirements laid out in the BPR.

Figure 27: IUCLID section tree components

To enter the scientific data for these sections, right-click on the specific endpoint section to create a new 'endpoint summary' or 'endpoint study record'.

Endpoint summaries/study records contain numerous fields in which you need to provide data. Each field can be filled in using the drop-down menus (▼) with pre-selected responses, adding lines (⊕ Add...) to the existing tables, or typing text into the free text fields.

5.1 Endpoint study records

An endpoint study record (💣) should contain all the data available on a particular endpoint study, entered into the pertinent fields. An endpoint study record provides a template with pre-defined fields and free text prompts, to help you include key information on a study. Endpoint study records usually consist of the data entry blocks: 'Administrative data', 'Data source', 'Materials and methods', 'Test material', and 'Results and discussion'. There are also sections for any 'Overall remarks, attachments' and the 'Applicant's summary and conclusion'. This structure is maintained for the following endpoint study records:

- Section 3 'Physical and chemical properties' in the 'Substance' dataset, or 'Physical, chemical and technical properties' in the 'Mixture/Product' dataset.
- Section 4 'Physical hazards and respective characteristics'.
- Section 5 'Methods of detection and identification'.
- Section 6 'Effectiveness against target organisms'.
- Section 8 'Toxicological profile for humans and animals'.
- Section 9 'Ecotoxicological studies'.
- Section 10 'Environmental fate and behaviour'.

The following sections include an example of how an endpoint study record could be filled. The

sections will differ depending on the endpoint section being filled in.

'Administrative data' block

Make a selection (e.g. 'key study') in the field 'Adequacy of study' using the drop-down menu.

- A key study is one that has been identified as the most suitable to describe an endpoint from the perspective of quality and completeness of data.
- A supporting study provides information to support the conclusions from the key studies or the weight of evidence approach.
- A weight of evidence study record is one that comprises of several independent sources of information leading to a justification for the non-submission of a key study. A single source alone may be considered insufficient to describe an endpoint, but there may be sufficient information from the weight of evidence studies to describe the endpoint (further information in Annex IV 1.2 of the BPR).
- Disregarded due to major methodological deficiencies is a study that was available to the applicant, but was not taken into account in the draft risk assessment report of the substance because of lack of quality or reliability.

In addition, make a selection in the fields 'Type of information' and 'Reliability' using the drop-down menus (▼). If 'other:' is selected from any of the drop-down menus, then the adjacent field must be filled in (Figure 28).



Data waiving: if a study has been waived according to the specific rules for waiving of data requirements in Article 21 of the BPR, then this must be identified in an endpoint study record. A justification must be entered in the appropriate field. In this case, **no further information should be included** in the same endpoint study record.

Figure 28: Administrative data fields

Administrative data ^

Endpoint
acute toxicity: oral ... ▼ Remarks

Type of information
experimental study ... ▼ Other

Adequacy of study
key study ... ▼

☐ Robust study summary


☐ Used for classification

☐ Used for SDS

Study period
6 months

Reliability
1 (reliable without restriction) ... ▼ Other

'Data Source' block

In order to indicate literature reference in the 'Reference' table (Figure 29) click the 'Add' button ( Add...). Enter some search criteria in the appearing 'Query for literature' window and then click 'Search'. Select the correct literature reference from the search results, and click the button 'Assign'.

It may be that the literature reference has not yet been entered into your database. In this case, click 'New' to open the 'Create new literature' window. In this window, enter the Title, and the other details of the literature reference.

As a minimum, the following fields are required:

- Provide the 'Year' or the 'Report date'.
- If the data is from a literature source, fill in the field 'Bibliographic source'.
- If the data is from a testing laboratory, complete the field 'Testing laboratory'. Provide the full address of the testing laboratory including the city and country. In addition, provide either 'Report no.', 'Company study no.' and/or 'Title'.
- If the data is from a company, fill in either the field 'Report no.' or the field 'Company study no.'. In addition, provide information in the fields 'Author', 'Company owner' and/or 'Title'.



A selection must also be made from the drop-down menu () 'Data access'. If 'other:' is selected, then the adjacent field must be filled in (Figure 29).






Figure 29: Data source table




Data source ^

Reference


Title	Author	Reference ty...	Year	Bibliographic ...	Testing labor...	Report no.	Company ow...	Com
Title	Author		1999	Bibliographic...	Testing labor...	12	TestCompany	13

 Add...
  Delete
  Move up
  Move down
  Go to link target


Data access

data submitter has Letter of Access ...  Other ... Remarks

Data protection claimed

...  Remarks

'Materials and Methods' block

Fill in all the necessary fields, ensuring you supply information on the method of testing in the table 'Test guideline', in the field 'Guideline'. Achieve this by firstly adding lines to the existing tables using the 'Add' button ( Add...) (Figure 30). Alternatively, you may enter this information in the free text field 'Principles of method if other than guideline', since there may be cases where an alternative method has been developed, other than that in a guideline.



If 'other:' is selected from the drop-down menu for the field 'Guideline', then the adjacent field must be filled in.

For endpoint study records that are indicated in the 'Administrative data' block 'Type of information' field as

- experimental study,
- read-across based on grouping of substances (category approach), or
- read-across from supporting substance (structural analogue or surrogate),

indicate whether the study is GLP compliant or not. Select one of the options in the drop-down menu (▼) in the field 'GLP compliance' (Figure 30).



If 'yes (incl. certificate)' or 'yes' is selected in the field 'GLP compliance' then ensure the field 'Testing laboratory' in the 'Reference' table of the 'Data source' block is filled in (Figure 29).

Figure 30: 'Material and Methods' block for information on testing methods

There may be additional fields to be completed depending on the endpoint section being completed. For example, endpoint section 8.5.4, 'Genetic toxicity in vitro', has the additional field 'Type of assay'. Fill in the fields using the drop-down menus (▼) with pre-selected responses, or typing text into the free text fields. Note that if 'other:' is selected in any of the drop-down menus, then information must be provided in the adjacent free text field (see [chapter 2.4](#)).


'Test Material' block

If the test material identity is same as for the substance defined in section 2.1, then it is optional to provide further information about the test material. If the test material is different, then assign test material under 'Test material information' or fill in the field 'Specific details on test material used for the study' (Figure 31).

In order to indicate test material under 'Test material information', click the link button (🔗). Enter some search criteria in the appearing 'Query for test materials' window and then click 'Search'. Select the correct test material from the search results, and click the button 'Assign'.

It may be that the test material has not yet been entered into your database. In this case, click 'New' to open the 'Create new test material' window. In this window, enter the name and other details of the test material.



Figure 31: Adding details on the test materials



'Results and Discussion' block

For this block, the fields that must be filled in are specific for each endpoint. Consequently, depending on the endpoint section, the following type of information may have to be provided when relevant:

- specific endpoint, effect type/level, the value as well as the unit (e.g. EC50 (48h) = 0.20 mg/L),
- parameter measured (e.g. CO₂, DOC in the case of a screening biodegradability test) or the sex of the test animals (e.g. toxicity to reproduction),
- information on parameters applied during the testing phase (e.g. temperature, pH, concentration), and
- duration of testing.

The fields can be filled in by adding lines to the existing tables using the 'Add' button ( Add...) and selecting the relevant option from the drop-down menu (), and by filling in the free text fields provided.

Information should primarily be reported in the fields defined for reporting that result. However, in rare cases where these basic fields cannot be completed, an explanatory text must be provided in the field 'Any other information on results incl. tables'. Alternatively, for the cases in which there is a 'Remarks on results' field at the end of the table for reporting the results, it is possible to provide the text in this field.

The field 'Any other information on results incl. tables' should be used only in exceptional cases when, for example, it is not possible to report a numerical value in the field due to difficulties during the testing.



If you add several lines to the table under 'Results and discussion' ensure you complete all of them.



Take care not to confuse the free text fields with the field named 'Overall remarks, attachments'.


5.2 Endpoint study summaries

An endpoint study summary (ⓘ) should be a summary of the evaluation made on all the data entered in the endpoint study records (see [chapter 5.1](#)). An endpoint summary should focus on the most important results and conclusions, and justify the use of certain studies.

Endpoint summaries usually consist of the data entry blocks: 'Administrative data', 'Description of key information', 'Key value for chemical safety assessment', and 'Additional information'. There are also additional sections, e.g. 'Justification for classification or non-classification' or, in section 9 'Ecotoxicological studies' there is a 'Hazard for air' block.

The fields to be filled in vary greatly between endpoint summaries. However, each field can be filled in using the drop-down menus (▾) with pre-selected responses, adding lines (ⓘ Add...) to the existing tables, or typing text into the free text fields. In some cases, you may wish to link the summarised data to a specific endpoint study record. Achieve this by clicking the 'Add' button (ⓘ Add...) and selecting the appropriate endpoint study record from the appearing pop-up menu (Figure 32).

Figure 32: Assigning an endpoint study record to an endpoint summary



6. Additional IUCLID endpoint sections

Information on how to enter information into the additional endpoint sections, i.e. non-endpoint study related sections, is provided in subsequent chapters:

- Section 7 'Intended uses and exposure', [section 6.1](#)
- Section 11 'Measures to protect humans, animals and the environment', [section 6.2](#)
- Section 12 'Classification and Labelling', [section 6.3](#)
- Section 13 'Summary and evaluation', [section 6.4](#)

6.1 IUCLID section 7 'Intended uses and exposure'

IUCLID section 7.1 'Fields of use...'

This endpoint section enables the generation of a systemic overview of the intended uses of the representative BP in the **BP dataset**.

Start by creating a 'New record' (right-click) in section 7.1 'Field(s) of use envisaged for biocidal products...' and enter the information in the fields provided (Figure 33):




- i) Add a line in the field 'Intended uses and exposure' by clicking the 'Add' button ( Add...) and assign records containing the composition of the biocidal products to the intended use. These records were created in [IUCLID section 2.3 'Biocidal product composition'](#). Note that this step **only applies if the dataset concerns a product family**.
- ii) Select a 'Product type' from the available drop-down menu (). Note that for AS applications, you must indicate the product type in section 7.1 of the **AS dataset**.
- iii) Add rows to the table 'Use(s) pattern' ( Add...) and define the uses pattern.
- iv) Enter the 'Detailed description of uses including in treated articles' and 'Remarks' (if any) in the free text fields provided.

Figure 33: Entering the intended uses

Administrative data ^

Intended uses and exposure ^

For a biocidal product family, specify to which biocidal product(s) it applies:

- CORE / Composition / Product X / New product
- CORE / Composition / Representative biocidal product composition.002 / New product

This field applies for a BP family, in the **BP dataset**.

Select picklist values

☐ EU BPR Product type 1: Human hygiene (Disinfectants)
☐ EU BPR Product type 2: ... to humans or animals (Disinfectants)
☐ EU BPR Product type 3: ...
☐ EU BPR Product type 4: Food and feed area (Disinfectants)
☐ EU BPR Product type 5: Drinking water (Disinfectants)
☐ EU BPR Product type 6: Preservatives for products during storage (Preservatives)
☐ EU BPR Product type 7: Film preservatives (Preservatives)
☒ EU BPR Product type 8: Wood preservatives (Preservatives)
☐ EU BPR Product type 9: Fibre, leather, rubber and polymerised materials preservatives (Preservatives)
☐ EU BPR Product type 10: Construction material preservatives (Preservatives)
☐ EU BPR Product type 11: Preservatives for liquid-cooling and processing systems (Preservatives)
☐ EU BPR Product type 12: Slimecides (Preservatives)
☐ EU BPR Product type 13: Working or cutting fluid preservatives (Preservatives)
☐ EU BPR Product type 14: Rodenticides (Pest control)

For AS applications, fill the product type in the **AS dataset**.

Product type

▼ EU BPR Product type 8: Wood preservatives

Use(s) pattern

Use Number	Use Name

Detailed description of uses including intended uses and exposure

Remarks

IUCLID section 7.5 'Likely tonnage to be placed on the market'

The aim of this section is to report the likely tonnage to be placed on the market per calendar year, and if relevant, for different use categories, implied here as product types. You can include multiple rows, allowing the entry of information for a number of years and for different product type combinations.

To provide this information, create a 'New summary' (right-click) in section 7.5 'Likely tonnage to be placed on the market' and fill in the table provided by clicking the 'Add' button () (for as many rows as you require) for each BP type and/or year (Figure 34).

Figure 34: Entering the 'Likely tonnage to be placed on the market'

Administrative data ^

Likely tonnage to be placed on the market ^

Likely tonnage to be put on the market (tonnes / year)

Product type	Year	Tonnage placed on the market (t)
EU BPR Product type 8: Wood preservatives (Preservatives)	2015	100

+ Add... Edit... Delete

Likely tonnage to be put on the market (...)

Product type
 ▼ EU BPR Product type 5: Drinking water (Disi...)

Year
 2014

Tonnage placed on the market (t)
 100

Remarks
 ...

OK Cancel

IUCLID section 7.6 'Method of Application...'

This endpoint section enables the generation of a systemic overview of the directions of use for each of the uses described in [IUCLID section 7.1 'Fields of use...'](#) for the representative BP.

Start by creating a 'New record' (right-click) in IUCLID section 7.6 'Method of application' and a description of this method', and enter the directions for use in the fields provided (Figure 35):

- i) The 'Reference use' field identifies the use for which the directions of use apply to. Add a line in this field by clicking the 'Add' button (+ Add...) and assign use records as appropriate. You must have defined a use in [IUCLID section 7.1 'Fields of use...'](#) in order for a use to be available for assignment.
- ii) Select a 'Method of application' from the available drop-down menu (▼).
- iii) Enter the 'Detailed description of method of application' in the free text field provided.
- iv) Add rows to the table 'Application dose...' (+ Add...) and fill in the various parameters.
- v) Select an 'Application aim' from the available drop-down menu (▼).
- vi) Enter the 'Number and timing of applications' and 'Proposed instruction for use' in the free text fields provided.

Figure 35: Entering the method of application

Directions for use ^

Reference use

● EU_BPR / Intended uses and exposure / Field(s) of use envisaged for biocidal products and treated articles.001 / New product

+ Add... X Delete ↑ Move up ↓ Move down > Go to link target

Method of application

▼ material protection X

Detailed description of method of application

Detailed description ...

Application dose and final concentration of active substance and biocidal product in treated article or system

Dilution (%)	Application dose	Final concentration of a...	Final concentration of bi...	Remarks
50	200 - 250 % (w/w)	300 % (w/w)	900 % (w/w)	Any further information

+ Add... Edit... X Delete ↑ Move up ↓ Move down

Application aim

▼ preservation X

Number and timing of applications

abc ...

Proposed instruction for use

xyz ...

6.2 IUCLID section 11 'Measures to protect humans, animals and the environment'

This endpoint section enables the generation of a systemic overview of measures that ensure the appropriate level of protection of humans, animals, and the environment. Start by creating a 'New record' (right-click) in IUCLID section 11 'Measures to protect humans, animals and the environment'. The record provides you with free text fields, e.g. 'First aid instructions, antidotes', into which you should type all the information concerning the protective measures for the AS or BP, depending on the dataset you are completing.

6.3 IUCLID section 12 Classification and Labelling

- There are two sub-sections for entering information related to the classification and labelling (C&L) of an AS or a BP;
- section 12.1 'GHS' and
- section 12.2 'DSD – DPD'.

- Section 12.1 'GHS' contains the C&L information according to the Globally Harmonised System of C&L of chemicals (GHS) in accordance with the [Regulation \(EC\) No 1272/2008](#).
- Section 12.2 'DSD – DPD' contains the C&L information according to the [Directive 67/548/EEC](#) for C&L of substances and according to [Directive 1999/45/EC](#) of the European Parliament and of the Council for C&L of preparations.
- The [Regulation \(EC\) No 1272/2008](#) on the classification, labelling and packaging of substances and mixtures (CLP) is replacing DSD and DPD in a stepwise approach. Further information on CLP is available from the [Regulation's > CLP](#) page from ECHA's website.

IUCLID section 12.1 'GHS'

Include C&L data according to the GHS by creating a 'New record' (right-click) in IUCLID section 12.1 'GHS'.

Not classified substance: If the substance is not classified, tick the box 'Not classified' and justify in each field 'Reason for no classification' why no classification is given for an endpoint, hazard class or differentiation. In IUCLID 6, the fields 'Reason for no classification' indicate 'data lacking' as a default. Where applicable, change the default reason to the appropriate reason, for example 'inconclusive' or 'conclusive but not sufficient for classification' (Figure 36).

The reason for **no classification** should be selected according to the following principles:

- Select 'data lacking' if you do not have relevant data or other adequate and reliable information that can be compared with the classification criteria.
- Select 'inconclusive' if you have data that is not completely reliable (e.g. data of poor quality), or if you have several equivocal study results or information. Therefore, the available data cannot be regarded as a firm basis for classification.
- Select 'conclusive but not sufficient for classification' where a substance is tested with the appropriate high quality study or where other high quality information is available, and based on that, it is concluded that the classification criteria is not fulfilled.



- Select 'conclusive but not sufficient for classification' for no classification if a hazard category does not apply to your substance (e.g. 'Flammable gases' for a solid substance).

Classified substance: If the criteria for classification is met, you should specify a 'Hazard category' **and** a 'Hazard statement'. In order to do this, first remove the default value in the field 'Reason for no classification' by selecting the empty row in the pick list (Figure 36). This action activates the 'Hazard category' and 'Hazard statement' pick lists.



- Further information on CLP is available from the [Regulation's > CLP](#) page from ECHA's website.

Figure 36: How to specify the 'Classification' labels

The screenshot shows the 'Classification' section of the IUCLID interface. It includes a 'Physical Hazards' section with a table for 'Hazard category' and 'Hazard statement'. The 'Reason for no classification' dropdown is set to 'inconclusive'. A 'Pick list' dialog is open, showing options: 'data lacking', 'inconclusive', and 'conclusive but not sufficient for classification'. The 'data lacking' option is selected. Callouts provide instructions: 'Classified.', 'No classification. Default value is 'Data lacking'; change this value if applicable.', and 'In order to indicate classification, first remove the default value by selecting the empty row in the pick list. When you have selected the empty row, you can select 'Hazard category' and 'Hazard statement'.'

An AS may have multiple C&L records, for instance in the case where the AS contains an impurity with specific hazard properties having an impact on the classification. A BP can also have multiple C&L records, for instance in the case where there are different compositions of the BP. You can create multiple C&L records under section 12.1, allowing the entry of multiple C&L.



If you create multiple records in section 12.1, please ensure all of the records are completed. Delete any unwanted blocks by right-clicking on the record name and selecting 'Delete'.

If there are **multiple compositions** (i.e. several composition records in [IUCLID section 2.9 'Specification of purity'](#) in the 'Substance' dataset) and **several C&L records** in [IUCLID section 12.1 'GHS'](#) of the 'Substance' dataset, then each composition record must be linked to at least one C&L record using the field 'Related compositions' located in section 12.1 (Figure 37).



Assign a related composition by clicking the 'Add' button ( Add...) and selecting the composition from the list (Figure 37). Several compositions can be linked to the same C&L block.

Figure 37: How to assign 'Related compositions'**IUCLID section 12.3 'Packaging'**

In the 'Mixture/Product' dataset, there is the additional endpoint section 12.3 'Packaging (12.7 in Annex III of BPR)'. This section should include all the information related to the packaging of a BP (type, materials, size, compatibility of the BP with proposed packaging materials etc.).

Start by creating a 'New record' (right-click) in section 12.3, then enter the packaging information in the fields provided (Figure 38):





- i) Add a line in the field 'Packaging' by clicking the 'Add' button ( Add...) and assign records containing the composition of the biocidal products to the packaging. These records were created in [IUCLID section 2.3 'Biocidal product composition'](#). Note that this step **only applies if the dataset concerns a product family**.
- ii) Select a type of packaging from the available drop-down menu ().
- iii) Enter the size and material of packaging (use the drop-down menus () to include the unit).
- iv) Enter the compatibility of the BP, and further description of the packaging, safety features and secondary packaging in the free text fields provided.
- v) Include any other packaging related attachments if available, e.g. a picture of the package, by clicking on the 'Add' button ( Add...).

Figure 38: Entering packaging information

Packaging ^

For a biocidal product family, specify to which biocidal product(s) it applies:

☒ CORE / Composition / Product X / New product

This field applies for a BP family.

Type of packaging in contact with the biocidal product (container type)

... ...

Size of packaging in contact with the biocidal product (container size)

... ...

Material of packaging in contact with the biocidal product (container material)

... ...

Compatibility of the biocidal product with the packaging materials proposed to be in contact with the biocidal product

...

Further description of the packaging in contact with the biocidal product

...

Safety features of the packaging

...

Description of the secondary packaging (not in contact with the biocidal product)

...

Packaging related attachments

Type of attachment	Attached document	Remarks


6.4 IUCLID Section 13 'Summary and Evaluation'

In accordance with the BPR, additional documentation may be required for certain applications. The different types of additional information files may include primary supporting documents and additional supporting documents. The required file types are dependent on the application being submitted. Such additional documentation may include a draft risk assessment report, a decision on technical equivalence, and/or a letter of access. These and any other pertinent supporting documents can be attached in IUCLID section 13 of either of your IUCLID datasets. Please refer to the corresponding [Biocides Submission Manual](#) for more information on what additional documents should be attached in IUCLID section 13.



For non-active substances and substances that are not of concern, a safety data sheet according to the REACH Regulation must be provided in IUCLID Section 13 of the 'BPR Basic information (substance)/(mixture)' dataset(s). Please refer to Annex III, 2.3 of the BPR.

6.4.1 Summary and evaluation

To attach relevant documents and include some important information concerning your AS and BP, right-click on IUCLID section 13 and select 'New summary' (). This summary is divided into three sections: 'Summary and evaluation', 'Active substance related information' and 'Biocidal product related information'.

The 'Summary and evaluation' section should be used to attach relevant supporting documentation (including but not limited to, a letter of access, a decision on technical equivalence, a risk assessment report, etc.).





Attach the appropriate documents by adding ( Add...) as many lines as needed (Figure 39). Select the applicable option from the drop-down menu () and attach the documents ( , Figure 39). If no applicable option is available in the drop-down menu, then select 'other:' and enter the type of document you are attaching in the adjacent field.

Figure 39: Attaching documents in IUCLID section 13



The 'Active substance related information' section contains some checkboxes and drop-down menus. Click on the checkboxes that concern you, for example if you have a decision on technical equivalence, click the appropriate box and ensure you include the decision number (Figure 40). Use the drop-down menus to indicate if your substance is a 'candidate for substitution' or has 'endocrine disrupting properties', i.e. yes or no (Figure 40).


The 'Biocidal product related information' free text field should be used to include information concerning the Summary of Product Characteristics if relevant (Figure 40). If you have authorisation numbers related to authorised biocidal products then enter these into the table using the add button ( Add...) and typing in the numbers and any remarks you have (Figure 40).

Figure 40: Including a decision on technical equivalence

Active substance related information

- ☐ Identification of any substances meeting the requirements listed in point 11.10 of Annex II to BPR
- ☐ The source of substance is the same as was evaluated for inclusion in the Union list of approved active substances
- ☐ The source of substance is considered equivalent to the Union list of approved active substances source.

If yes technical equivalence decision number
123

The substance is a candidate for substitution
no ... Remarks

The substance has endocrine-disrupting properties
no ...

Biocidal product related information / Biocidal product related information

Other information relevant for the Summary of the biocidal Product Characteristics

Normal Default font A B I U | ||| | 1= || A ✎ ↺

ABC

Biocidal product related information

Authorisation number	Remarks
xxxxxxxxxx	


+ Add...
Edit...
X Delete
↑ Move up
↓ Move down

6.4.2 IUCLID section 13.1 'PBT assessment'

In the 'Substance' dataset only, there is an additional endpoint in section 13.1 'PBT Assessment'. A persistent, bioaccumulative and toxic (PBT) assessment of your substance (i.e. the substance itself, its constituents or transformation products) can be included in this section of the 'Substance' dataset.

To enter the scientific data for this section, right-click on IUCLID section 13.1 'PBT assessment' and click 'New record' or 'New summary'. A record should contain information related to one given PBT assessment study. Whereas, a summary can be created to give the overall conclusions of the PBT assessment of the substance, based on all the data in the PBT endpoint study records.

PBT record: fill in the relevant fields by either selecting the appropriate option from the drop-down menu (▼) or filling in the free text fields.

Ensure that you link the PBT assessment to a 'Reference substance'. Achieve this by clicking on the link button () that will open a 'Query for reference substances' window. Specify the search criteria (to widen your search you can use the wildcard *) and click 'Search'. From the

search results, 'Assign' a reference substance (Figure 41).




Under 'Composition of assessed substance', assign the relevant composition by clicking the 'Add' button ( Add...) and selecting the composition from the list.

Figure 41: Linking a 'Reference substance' and 'Composition' to a PBT record



PBT endpoint summary: Under 'Assessed composition(s)', assign the relevant composition(s) by clicking the 'Add' button ( Add...) and selecting the composition from the list.





Use the drop-down menu () to give an overall result under 'PBT status' (Figure 42), and then enter a justification for the overall result in the free text field provided. Ensure you include all of the appropriate documents in the 'Additional information' table at the end of the page, by adding lines to the table ( Add...).

Figure 42: PBT endpoint summary

7. How to create a dossier

Ensure all of the appropriate information is included in the 'Mixture/Product' dataset, including a link to a 'Substance' dataset in [IUCLID section 2.3 'Biocidal product composition'](#), before creating your dossier.

To create the dossier click the Mixture/Product icon (🧪) on the IUCLID 6 homepage (🏠). Then, right-click on the name of your chosen 'Mixture/Product' dataset; listed in the Navigation panel. Click 'Create dossier' (Figure 43); this will launch the dossier creation wizard.

Figure 43: Launching the creation wizard

7.1 The dossier creation wizard

The dossier creation wizard will guide you through a set of steps in order to create the relevant dossier type, either a 'BPR Active substance application (representative product)' dossier or a 'BPR Biocidal product authorisation' dossier. The type of dossier will vary depending on the process you are applying for.



For information on whether a dossier is required for your application type and, if so, which type of dossier is required, please refer to the relevant [Biocides Submission Manual](#).

The steps below explain how to navigate through the dossier creation wizard. Click 'Next' to move to the next step of the wizard. In IUCLID 6 some of the wizard steps have been hidden by default in order to simplify the dossier creation. You can make the steps visible by ticking the box 'Use advanced settings' in the first step of the dossier creation wizard (Figure 44).

Step 1 Select the correct dossier type for your application. Select 'Use advanced settings' if you wish to display the hidden steps of the wizard (Figure 44).



Section 2.3 'Biocidal product composition' of your 'Mixture/Product' dataset: If you create a summary or you include more than one AS in the BP composition, e.g. include more than one record each with an AS, you will not be able to make a 'BPR active substance application (representative product)' dossier, see [IUCLID section 2.3 'Biocidal product composition'](#).

Figure 44: Step 1 of the dossier creation wizard

Navigation panel

Search

Result type: Mixture/Product

Query type: Get all mixtures/products

Clear

Filter

Mixture/Product	Legal entity name
New product	TestCompany

Dossier creation wizard

Select submission type: Select a submission type, which meets your specific requirements: regulatory programme, type of dossier, tonnage band, member of a joint submission, etc.

The dossier/export template is used to determine which substance or mixture/product documents will be selected by default. The selection can be modified manually in a subsequent step of the dossier creation/export process.

Note that all referenced documents will be automatically detached.

Mixture/Product

Select submission type for a Mixture/Product

CORE

☐ Complete table of contents

OECD

☐ OECD harmonised templates

EU_BPR

☐ BPR Active substance application (representative product)

☒ BPR Biocidal product authorisation

☐ Use advanced settings

Click to display hidden steps of the wizard; e.g. to include legal entity in the dossier.

Select submission type

Back Next Finish Cancel

Step 2 Review the related entities, e.g. that correct dataset has been linked.

Step 3 (visible by selecting 'Use advanced settings' in step 1)

Filter the information to be included in the dossier.

By default, the 'Submitting legal entity' in the dossier header, and the 'Legal entity owner' in section 2.1 of the BP dataset will not be included in the dossier. However, if you wish to include the aforementioned legal entities (i.e. your company name and details) in your dossier e.g. for your personal record keeping purposes, select the radio button 'Include legal entity' (Figure 45).

By default, all the other information except legal entity will be included in the dossier. To exclude records from the dossier, un-select the relevant section in step 3 of the wizard (Figure 45).

Figure 45: Step 3 of the dossier creation wizard

Include legal entity

Select whether to include the legal entity on the dossier header and identification

☒ Exclude legal entity

☐ Include legal entity

Detail level of document fields

Content of the documents to be included: by default the basic fields are included

☒ Detailed fields (e.g. needed for robust study summaries)

☒ Confidential fields

Confidentiality

Select information that will be included ?

▼ Not confidential

CBI

IP

no PA

Use restricted to selected regulatory programmes

Select information that will be included

▼ No regulatory purposes

EU: BPD or EU: BPR

EU: CLP

EU: PPP

EU: REACH

CA: CEPA

CA: PCPA

JP: CSCL

OECD: CoCAP

US: EPA HPVC

US: FIFRA

US: TSCA

Any other

Callout 1: By default the dossier header ('Submitting legal entity') and section 2.1 of BP dataset ('Legal entity owner') will not include legal entity information.

Callout 2: Select 'Include legal entity' if you wish that your company details appear in the dossier header and section 2.1 of BP dataset.

Callout 3: By default all the information in the datasets (except legal entity) will be included in the dossier.

Callout 4: If you unselect some information here, it will not be included in the dossier.

Data protection flags

Back Next Finish Cancel



For most cases, ECHA recommends that you do not un-select the checkboxes, making sure that all of the required elements of the 'Substance' or 'Mixture/Product' dataset are included in the dossier to be submitted.

Step 4 (visible by selecting 'Use advanced settings' in step 1)


Verify the inclusion or exclusion of annotations.

Step 5 (visible by selecting 'Use advanced settings' in step 1)

Verify the selected sections for inclusion. All the dossier entities will be displayed in this step. To view the sections of each entity, click the name of the entity e.g.

dataset name. By default, all the entities and sections are included in the dossier. To exclude an entity or section, un-tick the pertinent box in the relevant dataset. (Figure 46).

Figure 46: Verifying the sections to be included



Step 6 Specify the dossier name in the free text field and include any additional remarks if relevant. Please record the dossier name as this can be used to view the dossier later ([chapter 7.2](#)). Click 'Finish' to create the dossier.

A prompt window will appear, giving an option to view the newly created dossier. Clicking 'Yes' will direct you to the 'Components' tab which contains the 'Dossier header' section (Figure 47). To view the full dossier content see [chapter 7.2.2](#).

Figure 47: Dossier header

Dossier header

Dossier submission type

Name
BPR Biocidal product authorisation

Version
bpr 2.0

Dossier name (given by user)

Dossier subject

Dossier subject
New product

Submitting legal entity

Dossier creation date/time
2016-05-23 13:43:42 +03:00

Dossier submission remark

7.2 Viewing a dossier

7.2.1 Searching for a dossier

You can view a dossier at any time using the dossier name or the dossier UUID number. To search by dossier name, go to the IUCLID 6 homepage and click on the dossier icon (Figure 48). This will open the 'Navigation panel'. In the field 'Filter', type in the dossier name (to broaden your search, you may use the wildcard *). When you have located the relevant dossier, double-click on the dossier title to open the 'Dossier header' section (Figure 48).

Figure 48: Searching for a dossier with the dossier name

Dossier

Navigation panel

Search

Result type: Dossier

Query type: Get all dossiers

Filter: bio*

Clear

Dossier Name	Subject Name	Creation date
BIOC_BIOCIDAL / MIXTURE : New product / 2016-05-23	New product	2016-05-23
BIOC_BIOCIDAL / MIXTURE : New product / 2016-05-23	New product	2016-05-23

Dossier header

Dossier submission type


Name
BPR Biocidal product authorisation

Version
bpr 2.0

Dossier name (given by user)

Double-click to open.


To search for a dossier with the unique dossier UUID, use the 'Search by UUID' field in the upper right corner of any IUCLID 6 screen (Figure 49). The dossier UUID can be obtained from the 'Information' tab in the 'Information panel' at the bottom of any section in the dossier. Figure 49 shows the 'Information panel' in the 'Dossier header' section.

Figure 49: Searching for a dossier with the dossier UUID

7.2.2 Viewing the full dossier content

You can view the dossier components under the 'Components' tab in the 'Navigation panel' (e.g. the datasets, legal entity). Click the '+' sign to expand the section tree and view all the components (Figure 50).

You can view the dataset content within the dossier by double-clicking on either the substance component (🔒) or the mixture/product component (🔒). The 'TOC' tab will appear in the 'Navigation panel'; TOC allows you to open all the sections contained in the dataset (Figure 50).


Figure 50: Viewing the 'TOC'

Double-clicking on the reference substance icon (🔒) will take you to the reference substance general information page. Double-clicking on the legal entity icon (🔒) will open the legal entity information.



Remember that a dossier is a non-editable snapshot of the datasets. If you find mistakes in the dossier, update the relevant component by clicking the appropriate icon (Figure 51). Then, create a new dossier as outlined in [chapter 7.1](#).

Figure 51: Updating data



7.3 Dossier export




When you are satisfied with a dossier, export the final dossier from IUCLID 6 and save it on your local IT environment. Exporting the dossier file (.i6z) allows you to upload it in an R4BP 3 application wizard as part of an application. To start the export, select the dossier in the 'Search' tab of the 'Navigation panel'. Then click on the 'Export' icon () (Figure 52). This will launch the Export assistant (Figure 53).

Figure 52: Exporting the dossier

Follow the steps in the Export assistant to select the appropriate option for annotation export and click 'Next'. Then click the 'Browse' button to define where you wish to save the dossier. Select your desired location from the 'Look In' field and specify the name of the dossier in the 'File Name' field. Then click 'OK', and click 'Finish' (Figure 53). The dossier can now be located in an .i6z file format in the location specified in the Export assistant.

Figure 53: Saving the dossier

Once you have exported your dossier and saved it on your local IT environment, you can upload it in an R4BP 3 application wizard and submit it as part of an application.



Once an application is submitted via R4BP 3, it is subsequently processed in a series of steps. For more information on how your application is processed by ECHA, please consult [BSM Technical guide: using R4BP 3](#).

ANNEX I - How to include a mixture containing an active substance in a biocidal product dossier

ACTIVE SUBSTANCE(S) IN A MIXTURE IN A BIOCIDAL PRODUCT

According to Article 20 (a) of the BPR, an application for authorisation of a biocidal product shall contain the information satisfying the requirements set out in Annex II for each active substance in the biocidal product. This is done by including the active substance dataset in the IUCLID dossier submitted for the application. Alternatively, the letter of access may be provided.

If an active substance is part of a mixture, and this mixture is a component of a biocidal product, the requirements of Article 20(a) still apply to this active substance. A complete active substance dataset needs to be provided together with a biocidal product authorisation dossier in IUCLID.

In the next sections we will propose an approach to include a mixture containing an active substance to a biocidal product dossier.

Creation of the active substance and biocidal product datasets


STEP 1. CREATE AN ACTIVE SUBSTANCE DATASET

A new substance dataset should be created for the active substance (using the main 'substance' dataset template 'BPR Active substance information'). This is done exactly in the same way as all other active substances datasets included in a biocidal product (Refer to chapter 2.1.1 '[Main dataset templates](#)' of this manual).

Where there is no letter of access: All mandatory sections shall be filled-in if there is no letter of access provided for this active substance. The mandatory sections are marked with a red asterix.

Where there is a letter of access: IUCLID sections 1 and 2 of the active substance dataset shall be filled-in if there is a letter of access for this active substance (See figure below). This letter of access should be attached to the section 13 Summary and evaluation of the active substance dataset (Refer to chapter 6.4.1 '[Summary and evaluation](#)' for instructions).


Figure: Sections 1 and 2 of the active substance dataset template 'BPR Active substance information'



STEP 2. CREATE A MIXTURE DATASET

A new mixture/product dataset should be created for the mixture using the dataset template 'BPR Basic information (mixture)' (Refer to chapter 2.1.2 '[Supplementary dataset templates](#)' for more details). All mandatory sections, marked with a red asterisk, shall be filled-in (See figure below).

Figure: BPR Basic information (mixture) view



In IUCLID section 2.3 'Mixture composition', the full composition of the mixture shall be indicated. The reference substance shall be linked and its function 'active substance' shall be selected (See figure below).

Figure: Section 2.3 of BPR Basic information (mixture)

coumarin / 2H-chromen-2-one / 91-64-5 / 202-086-7, ca. 10.0 % (w/w), > 8.0 - < 12.0 % (w/w)

Component flag

Name
coumarin / 2H-chromen-2-one / 91-64-5 / 202-086-7

Function
active substance

Typical concentration
ca. 10.0 % (w/w)

Concentration range
> 8.0 < 12.0 % (w/w)

Remarks
This is an active substance being a component of a mixture. The mixture as such is component of a biocidal product.

☐ Substance of concern

STEP 3. SPECIFY THE BIOCIDAL PRODUCT COMPOSITION

A new mixture/product dataset should be created for the biocidal product using the dataset template 'BPR Biocidal product authorisation' or 'BPR Active substance application (representative product)'. Additional instructions can be found in chapter 4 '[Preparing a dataset for a biocidal product; IUCLID section 2.3 Biocidal product composition](#)'.

For a mixture that contains an active substance, two entries should be created in IUCLID section 2.3 'Biocidal product composition' (both in the same endpoint, see figure below).

The first composition block should have:

- Function 'active substance'
- Concentration of a mixture in a biocidal product
- Linked mixture dataset (created in step 2)

The second composition block should have:

- Function 'active substance'
- Concentration 0 (the concentration of the active substance can be retrieved from the mixture dataset linked in the first record)
- Linked active substance dataset (created in step 1)

Figure: Two records in section 2.3 Biocidal product composition, related to a mixture that contains an active substance

The screenshot displays the IUCLID navigation window with two components listed. Each component has a header bar with its name and a set of navigation icons (up, down, left, right, search, and close). Below the header, each component has a form with the following fields:


- Component flag:** A button with a flag icon.
- Name:** A text input field containing the component name, followed by navigation icons.
- Function:** A dropdown menu with 'active substance' selected, and an 'Other' button.
- Typical concentration:** A dropdown menu with '5.0' selected, followed by a unit dropdown with '% (w/w)' selected.
- Concentration range:** Three input fields for minimum, maximum, and unit, with dropdown menus.
- Remarks:** A large text area for notes.
- Substance of concern:** A checkbox.

The first component is 'mixture containing active substance, 5.0 % (w/w)' and the second is 'coumarin being part of a mixture, 0.0 % (w/w)'.

Information displayed in a biocidal product authorisation dossier

Based on the biocidal product dataset (created in step 3), the biocidal product authorisation dossier (or the dossier for the representative biocidal product) shall be created (Refer to chapter 7 '[How to create a dossier](#)' for more details). Once the dossier is ready, its components are displayed in the Navigation window (see figure below).

Figure: Biocidal product dossier components in the navigation window in IUCLID



The following sections explain where the different components of the biocidal product can be found in the final biocidal dossier i.e. the:


- i) biocidal product containing this mixture,
- ii) active substance component of the mixture,
- iii) mixture itself.

You can view the dataset content within the dossier by double-clicking on either the substance component (🔑) or the mixture/product component (🔑) under the 'Components' tab in the 'Navigation' panel (See chapter 7.2.2 '[Viewing the full dossier content](#)' for more details).

I) ACTIVE SUBSTANCE COMPONENT

The active substance composition contains all information that was inserted in IUCLID section 2.9 of the active substance dataset template 'BPR Active substance information' (See figure below).

Figure: Active substance inside of a mixture – dossier view



II) MIXTURE COMPONENT

The mixture composition contains all information that was inserted in IUCLID section 2.3 of the dataset template 'BPR Basic information (mixture)' (See figure below).

Figure: Mixture in a biocidal product – dossier view

Navigation panel

Search Components Annotations TOC

BPR Basic information (mixture)

Text filter

- 0 Related information
- 1 Applicant
- 2 Identity of the mixture
 - 2.1 Common name and synonyms
 - 2.2 Manufacturer's development code number(s)
 - 2.3 Mixture composition
 - Composition.001
- 3 Physical, chemical and technical properties
- 4 Physical hazards and respective characteristics
- 5 Methods of detection and identification
- 6 Effectiveness against target organisms
- 7 Likely tonnage to be placed on the market
- 8 Toxicological profile for humans and animals

CORE / Composition / Composition.001 / mixture containing active substance IUCLID

Components

coumarin being part of a mixture / coumarin / 2H-chromen-2-one / 91-64-5, ca. 10.0 % (w/w), > 8.0 - < 12.0 % (w/w)

Component flag

Name

coumarin being part of a mixture / coumarin / 2H-chromen-2-one / 91-64-5

Function

active substance ... Other

Typical concentration

ca. 10.0 % (w/w)

Concentration range

> 8.0 < 12.0 % (w/w)

III) BIOCIDAL PRODUCT COMPONENT

The biocidal product component contains all information that was inserted in IUCLID section 2.3 of the dataset template 'BPR Biocidal product authorisation' or 'BPR Active substance application (representative product)' (See figure below).

Figure: Biocidal product component – dossier view

Navigation panel

Search Components Annotations **TOC**

BPR Biocidal product authorisation

Text filter

- 0 Related information
- 1 Applicant
- 2 Identity of the biocidal product
 - 2.1 Trade name or proposed trade name
 - 2.2 Manufacturer's development code and number
 - 2.3 Biocidal product composition
 - Biocidal product composition.001**
 - 2.4 (Cf. 2.3) Formulation type and nature of the bio...
- 3 Physical, chemical and technical properties
- 4 Physical hazards and respective characteristics
- 5 Methods of detection and identification
- 6 Effectiveness against target organisms
- 7 Intended uses and exposure
- 8 Toxicological profile for humans and animals
- 9 Ecotoxicological studies
- 10 Environmental fate and behaviour
- 11 Measures to protect humans, animals and the enviro...
- 12 Classification & Labelling
- 13 Summary and evaluation

CORE / Composition / Biocidal product composition.001 / product containing AS in a mixture

Components

mixture containing active substance, 5.0 % (w/w)

Component flag

Name

mixture containing active substance

Function

active substance ... Other

Typical concentration

5.0 % (w/w)

Concentration range

Remarks

☐ Substance of concern

coumarin being part of a mixture / coumarin / 2H-chromen-2-one / 91-64-5, 0.0 % (w/w)

Component flag

Name

coumarin being part of a mixture / coumarin / 2H-chromen-2-one / 91-64-5

Function

active substance ... Other

Typical concentration

0.0 % (w/w)

ANNEX II - How to report active substance(s) generated in-situ in IUCLID

ACTIVE SUBSTANCE(S) IN A BIOCIDAL PRODUCT

According to Article 20 (a) of the BPR, an application for authorisation of a biocidal product shall contain the information satisfying the requirements set out in Annex II for each active substance in the biocidal product. This is done by including the active substance dataset in the IUCLID dossier submitted for the application.

According to Article 6(b) of the BPR, an active substance application dossier shall contain the information satisfying the requirements set out in Annex III for at least one representative biocidal product that contains the active substance. Therefore each active substance application has to include a dataset for a representative product with an active substance indicated as its component.

IN-SITU GENERATED ACTIVE SUBSTANCES

The definition of an in situ generated substance is understood to be an active substance that is generated at the place of use from one or more precursors.

All precursors and the active substance generated in situ shall be reported in the IUCLID technical dossier. For an active substance application dossier it shall be done in a representative biocidal product and for a biocidal product authorisation dossier inside the biocidal product itself. In both cases, the active substance generated in situ is reported in the way which is described below, in step 3.

Creation of the active substance and biocidal product datasets

STEP 1. CREATE AN ACTIVE SUBSTANCE (IN SITU) DATASET

A new substance dataset should be created for the active substance that is supposed to be generated in a biocidal product (using the 'main' substance dataset template 'BPR Active substance information'). This is done exactly in the same way as for all other active substances datasets included in a biocidal product or linked to a representative biocidal product in an active substance application (Refer to chapter 2.1.1 ['Main dataset templates'](#) of this manual).

STEP 2. CREATE DATASETS FOR PRECURSOR(S) OF AN IN SITU ACTIVE SUBSTANCE

For each precursor of an in situ active substance, and for each substance that would be an impurity of an active substance generated in situ, a separate substance dataset shall be created. Depending on the properties of a substance, the corresponding dataset template, i.e. BPR Active substance information, BPR Substance of concern, or, BPR Basic information (substance), should be used to insert the required data. The selection of the correct template has to be done based on the substance's properties and function. The active substance and the substance of concern are defined in the Biocidal Products Regulation. The template 'BPR Basic information (substance)' should be used for all other substances.

The reaction pathways describing how the active substance is generated should be inserted in IUCLID section 2.9 of the active substance dataset under 'Description of composition'. If needed, additional details for the method can be included as an attachment under 'Attached description'.

STEP 3. SPECIFY THE BIOCIDAL PRODUCT COMPOSITION

For a biocidal product that contains an in situ generated active substance, both the active substance and the precursors should be inserted as 'components' in the defined composition in IUCLID section 2.3 'Biocidal product composition'. Represented in the figure below, this is done in the following way:

- Entries identifying precursor(s) of in situ generated active substance should have the following data provided:
 - o Linked substance dataset (created in step 2 above)
 - o Function 'other: precursor'
 - o Concentration of the substance in the biocidal product
- Entry identifying the in situ generated active substance should have:
 - o Function 'active substance'
 - o Concentration 0
 - o Linked active substance dataset (created in step 1)

Figure: Records in section 2.3 Biocidal product composition, related to precursors of an active substance and an active substance generated in situ

The screenshot shows the 'Components' window in IUCLID. The title bar is 'Components ^'. The main content area displays a record for 'substancja, 10.0 % (w/w)'. The record details are as follows:

- Component flag:** A button with a flag icon.
- Name:** A text box containing 'substancja' with a flask icon on the left and navigation buttons on the right.
- Function:** A dropdown menu set to 'other:' and a linked text box containing 'precursor of in situ generated active substance'.
- Typical concentration:** A dropdown menu set to '10.0' and a unit dropdown set to '% (w/w)'.
- Concentration range:** Three input fields for minimum, maximum, and a unit dropdown.
- Remarks:** A large text area for notes.
- Substance of concern:** A checkbox that is checked.

substancja 2, 5.0 % (w/w)

Component flag

substancja 2

> ∞ X

Function

other: ... ▼

precursor of in situ generated active substance ...

Typical concentration

▼ 5.0

% (w/w) ... ▼

Concentration range

▼

▼

...

▼

Remarks

...

☐ Substance of concern

Active substance / coumarin / 2H-chromen-2-one / 91-64-5, 0.0 % (w/w)

Component flag

Active substance / coumarin / 2H-chromen-2-one / 91-64-5

> ∞ X

Function

active substance ... ▼

Other ...

Typical concentration

▼ 0.0

% (w/w) ... ▼

Concentration range

▼

▼

...

▼

Remarks

...

☐ Substance of concern

A Special Case: Precursor in a mixture

The detailed procedure of including a mixture containing an active substance in a biocidal product IUCLID dossier is described in [Annex I](#) to this manual. The example composition of a biocidal product containing a precursor being a part of a mixture is presented in the figure below.

1 - concentration of the first precursor in the biocidal product; this precursor is a substance;

- 2** - first block: concentration of the mixture containing the second precursor; second block: link to the substance being the second precursor;
- 3** - link to the active substance generated in situ based on the first precursor (substance) and the second precursor (substance in a mixture).

Figure: Records in IUCLID section 2.3 'Biocidal product composition', related to precursors of an active substance being a part of a mixture.

Components ^

substancja, 10.0 % (w/w)

1

Component flag

Name

substancja

Function

other: precursor of in situ generated active substance

Typical concentration

10.0 % (w/w)

Concentration range

Remarks

☒ Substance of concern

mixture containing a precursor, 15.0 % (w/w)	
Component flag	
Name mixture containing a precursor	
Function other: precursor of in situ generated active substance	
Typical concentration 15.0 % (w/w)	
Concentration range	
Remarks	
<input type="checkbox"/> Substance of concern	

2

precursor in a mixture substance, 0.0 % (w/w)	
Component flag	
Name precursor in a mixture substance	
Function other: precursor of in situ generated active substance	
Typical concentration 0.0 % (w/w)	
Concentration range	
Remarks	
<input type="checkbox"/> Substance of concern	

Active substance / coumarin / 2H-chromen-2-one / 91-64-5, 0.0 % (w/w)

Component flag **3**

Name

Function
 ...

Typical concentration
 % (w/w) ...

Concentration range
 ...

Remarks

☐ Substance of concern

Information displayed in a BPR Biocidal product authorisation dossier and in a BPR Active substance application (representative product) dossier

Based on the biocidal product dataset (created in step 3), the 'BPR Active substance application (representative product)' dossier or 'BPR Biocidal product authorisation' dossier shall be created (Refer to chapter 7 '[How to create a dossier](#)' for more details). Once the dossier is ready, its components are displayed in the Navigation window (See figure below). All precursors and the in situ generated active substance are among the components of the biocidal product dossier.

Figure: Biocidal product dossier components in the navigation window in IUCLID

Navigation panel

Search Components Annotations

BIOC_BIOCIDAL_PRODUCT / MIXTURE : product containing in situ generated

- product containing in situ generated active substance
 - Active substance / coumarin / 2H-chromen-2-one / 91-64-5
 - precursor in a mixture substance
 - substancja
 - mixture containing a precursor

BIOC_BIOCIDAL_PRODUCT / MIXTURE : product containing in situ generated active substance / 2...

Dossier header

Dossier submission type

Name
BPR Biocidal product authorisation

Version
bpr 2.0

Dossier name (given by user)
Dossier containing in situ generated active substance

EUROPEAN CHEMICALS AGENCY
ANNANKATU 18, P.O. BOX 400,
FI-00121 HELSINKI, FINLAND
ECHA.EUROPA.EU